

SAFETY DATA SHEET

Issue Date 19-May-2016 Revision Date 19-May-2016 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name WEN SAFE BRITE ACID VEHICLE WASH

Product Code FLVSAWXXWEN-SB

Customer Code FCSB55

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use Truck and Trailer Wash Uses advised against Use only as stated on label.

Details of the supplier of the safety data sheet

Manufactured For / Distributed By Walter E. Nelson, Company 5937 North Cutter Circle Portland, OR 97217 Phone (503) 285-3037 E-Mail customerservice@walterenelson.com

Emergency telephone number

24 Hour Emergency Phone Number (800) 228-5635 X059

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview
Line general attention

Danger

Hazard statements

Harmful if swallowed Causes severe skin burns and eye damage



Precautionary Statements - Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

- Store locked up

Precautionary Statements - Disposal

- Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Urea Monohydrochloride	506-89-8	10-30	*
2-(2-butoxyethoxy)ethanol	112-34-5	1-5	*
Alcohol Ethoxylate	68439-46-3	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Eye contact Keep eye wide open while rinsing Immediate medical attention is required Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes Do not rub

affected area

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Drink plenty of water. Do NOT induce vomiting. Immediate medical attention is required.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down.

Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent further leakage or spillage if safe to do so.

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Revision Date 19-May-2016

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-butoxyethoxy)ethanol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Propargyl Alcohol 107-19-7	TWA: 1 ppm S*	(vacated) TWA: 1 ppm (vacated) TWA: 2 mg/m³ (vacated) S*	TWA: 1 ppm TWA: 2 mg/m³
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 Other Information

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Face protection shield. Eye/face protection No special technical protective measures are necessary. Skin and body protection Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep **General Hygiene** away from food, drink and animal feeding stuffs. Contaminated work clothing should not be

allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Color Colorless

Odor No Information available
Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH <2 Specific Gravity 1.06 Viscosity Water Thin

Melting point/freezing point No Information available

Flash point None

Boiling point / boiling range No Information available

Evaporation rate Same as water

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Water solubility
No Information available
No Information available
No Information available
Soluble in water

Partition coefficient
Autoignition temperature
Decomposition temperature
No Information available
No Information available
No Information available

Other Information

Density Lbs/Gal 8.83

VOC Content (%) 1.67 % VOC all VOC content is CARB EXEMPT as LVP.

10. STABILITY AND REACTIVITY

Reactivity

No data available

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Exposure to air or moisture Incompatible with Thermal decomposition can lead to release of

over prolonged periods. strong acids and irritating and toxic gases and vapors.

Incompatible materials bases.

Incompatible with oxidizing agents. Hazardous Decomposition Products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information The primary effects and toxicity of this material are due to it corrosive nature.

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact The product causes burns of eyes, skin and mucous membranes.

Ingestion Causes burns. Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg(Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization No Information available.

Germ cell mutagenicity No Information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure

No Information available. No Information available. No Information available.

Chronic toxicity

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

common. Gastrointestinal disturbances may also be seen. Avoid repeated exp Possible risk of irreversible effects.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

27.79% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-butoxyethoxy)ethanol	100: 96 h Desmodesmus	1300: 96 h Lepomis macrochirus	2850: 24 h Daphnia magna mg/L
112-34-5	subspicatus mg/L EC50	mg/L LC50 static	EC50 100: 48 h Daphnia magna mg/L EC50

Persistence and degradabilityNo Information available.BioaccumulationNo Information available.Other adverse effectsNo Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. US EPA Waste Number U154 P102 D002

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Propargyl Alcohol	P102	Yes	Yes	Yes

WEN SAFE BRITE ACID VEHICLE WASH

107-19-7				
Methanol	Yes	Included in waste stream:	Yes	U154
67-56-1		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

Note: The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

U.S. Department of Transportation (USDOT)

4x1 Gallon Case Not regulated

Pails & Drums (<119 Gallons) Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-(2-butoxyethoxy)ethanol - 112-34-5	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Reactive Hazard	No
Sudden release of pressure hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.

Revision Date 19-May-2016

Chemical Name	California Proposition 65
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-butoxyethoxy)ethanol 112-34-5	X	-	-
Propargyl Alcohol 107-19-7	X	X	Х
Methanol 67-56-1	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Additional information No Information available.

16. OTHER INFORMATION

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
3	0	0	В

Prepared By Regulatory Department

Issue Date19-May-2016Revision Date19-May-2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet